## 8.0 KEY REFERENCES

Allendorf, F.W., R.F. Leary, N.P. Hitt, K.L. Knudsen, L.L. Lundquist, and P. Spruell. 2005. Intercrosses and the Endangered Species Act: should hybridized populations be considered as Westslope cutthroat trout? Conservation Biology 18: 1203-1213.

Alvarez, J.A., C. Dunn, and A.F. Zurr. 2003. Response of California red-legged frogs to the removal of non-native fish. 2002/2003 Transactions of the western section of the Wildlife Society 38/39: 9-12.

Amadon, D. 1949. The 75 percent rule for subspecies. The Condor 51: 250-258.

Austin, C.C. and H.B. Shaffer. 1992. Short-, medium-, and long-term repeatability of locomotor performance in the tiger salamander *Ambystoma californiense*. Functional Ecology 6: 145-153.

Balgooyen, T. G. 1981. The occurrence of the San Francisco garter snake and subspecific intergrade populations at SLAC, Phase 2. Draft Environmental Assessment, SLAC Linear Collider, Stanford, pages 118-121.

Barry, S. J. 1976. Investigations into the occurrence of the San Francisco garter snake at the Stanford Linear Accelerator Center. Unpublished report submitted to SLAC (SLAC-TN-76-5), 13 pages.

Barry, S. 1994. The distribution, habitat, and evolution of the San Francisco garter snake, *Thamnophis sirtalis tetrataenia*. Unpublished Masters dissertation, UC Davis, 143 pages.

Barry, S.J., and M. R. Jennings. 1998. *Coluber infernalis* Blainville 1835 and *Eutaenia sirtalis tetrataenia* Cope in Yarrow, 1875 (currently *Thamnophis sirtalis infernalis* and *T. s. tetrataenia*; Reptilia: Squamata): proposed conservation of the subspecific names by the designation of a neotype for *T. s. infernalis*. Bulletin of Zoological Nomenclature 55: 224-228.

Barry, S.J. and H.B. Shaffer. 1994. The status of the California tiger salamander (*Ambystoma californiense*) at Lagunita: a 50-year update. Journal of Herpetology 28: 159–164.

Blair, R.B. 1996. Land use and avian species diversity along an urban gradient. Ecological Applications 6: 506-519.

Blair, R.B. and A.E. Launer. 1997. Butterfly diversity and human land use: species assemblages across an urban gradient. Biological Conservation 80: 113-125.

Boundy, J. and D.A. Rossman. 1995. Allocation and status of garter snake names *Coluber infernalis* Blainville, *Eutaenia sirtalis* tetrataenia Cope, and *Eutaenia imperalis* Coues and Yarrow. Copeia 1995: 236-240.

Brooks, A. et al. 2007. <u>Design guideline for the reintroduction of wood into Australian streams</u>. Land and Water Australia, Canberra, 96 pages.

Brown, P.R. 1997. <u>A field guide to snakes of California</u>. Gulf Publishing Company, Houston, 216 pages.

Bulger, J.B. Scott, N.J. and R.B. Seymour. 2003. Terrestrial activity and conservation of adult California red-legged frogs *Rana aurora draytonii* in coastal forests and grasslands. Biological Conservation 110: 85-95.

Bury, R.B. 1972. Habits and home range of the Pacific pond turtle, *Clemmys marmorata*, in a stream community. Unpublished Ph.D. thesis, UC Berkeley.

Bury, R.B. 1986. Feeding ecology of the turtle, *Clemmys marmorata*. Journal of Herpetology 20 515-521.

Bury, R.B. and J.H. Wolfheim. 1973. Aggression in free-living pond turtles (*Clemmys marmorata*). BioScience 23: 659-662.

Cicero, C. and N.K. Johnson. 2006. Diagnosability of subspecies: lessons from song sparrows (*Amphispiza belli*) for analysis of geographic variation in birds. The Auk 123: 226-274.

Cook, D.C., P.C. Trenham, and P.T. Northen. 2006, Demography and breeding phenology of the California tiger salamander (*Ambystoma californiense*) in an urban landscape. Northwest Naturalist 87: 215-224.

Cowan, I.M. 1941. Longevity of the red-legged frog (Rana a. aurora). Copeia 1941: 48.

Cronin, M.A. 2007. The Preble's meadow jumping mouse: subjective subspecies, advocacy and management. Animal Conservation 10: 159-161.

Davidson, C., H.B. Shaffer, and M.R. Jennings. 2001. Declines of the California red-legged frog: climate, UV-B, habitat, and pesticide hypotheses. Ecological Applications 11: 464-479.

Doubledee, R.A., E.B. Muller, and R.M. Nisbet. 2003. Bullfrogs, disturbance regimes, and the persistence of California red-legged frogs. Journal of Wildlife Management 67: 424-438.

Ernst, C.H., J.E. Lovich, and R.W. Barbour. 1994. Turtles of the United States and Canada. Smithsonian Institution Press, Washington, D.C., 578 pages.

Evelyn, M.J., D.A. Stiles and R.A. Young. 2004. Conservation of bats in suburban landscapes: roost selection by *Myotis yumanesis* in a residential area of California. Biological Conservation 115: 463-473.

Federal Register. 7 February 1996. 50 CFR Part 424. Proposed policy on the treatment of intercrosses and intercross progeny (the issue of "Hybridization"); proposed rule. Federal Register 61 (#26): 4701-4713.

Fellers, G.M. and P.M. Kleeman. 2007a. California red-legged frogs (*Rana draytonii*) movement and habitat use: implications for conservation. Journal of Herpetology 41: 276-286.

Fellers, G.M. and P.M. Kleeman. 2007b. Diurnal versus nocturnal surveys for California redlegged frogs. Journal of Wildlife Management 70: 1805-1808.

Fellers, G.M., A.E. Launer, G. Rathbun, S. Bobzien, J. Alvarez, D. Sterner, R.B. Seymour and M. Westphal. 2001. Overwintering tadpoles in the California red-legged frogs (*Rana aurora draytonii*). Herpetological Review 32: 156-157.

FishNet4C. 2007. Guidelines for protecting aquatic habitat and salmonid fisheries for county road maintenance. FishNet 4C, MFG, Inc., Prunuski Chatham Inc, and Pacific Watershed Associates.

Fitch, H. S. 1941. Geographic variation in the garter snakes of the species *Thamnophis sirtalis* in the Pacific Coast region of North America. American Midland Naturalist 26: 570-592.

Fitzpatrick, B.M. and H.B. Shaffer. 2004. Environment-dependent admixture dynamics in a tiger salamander hybrid zone. Evolution 58: 1282-1283.

Flosi, G., S. Downie, J. Hopelain, M. Bird, R. Coey and B. Collins. 1998. <u>California salmonid stream habitat restoration manual</u>, 3<sup>rd</sup> edition. California Department of Fish and Game, Inland Fisheries Division, Sacramento, 497 pages. Updates through 2009.

Fox, W. 1951. The status of the garter snakes of the species *Thamnophis sirtalis tetrataenia*. Copeia 1951 (4): 257-267.

Fukushima, L. and E.W. Lesh. 1998. Adult and juvenile anadromous salmonid migration timing in California streams. California Fish and Game 84: 133-145.

Gray, E. M. 1995. DNA fingerprinting reveals a lack of genetic variation in northern populations of the western pond turtle (*Clemmys marmorata*). Conservation Biology 9: 1244-1254.

Green, D.M. 2005. Designatable units for status assessment of endangered species. Conservation Biology 19: 1813-1820.

Haig, S.M., E.A. Beever, S.M. Chambers, H.M. Draheim, B.D. Dugger, S. Dunham, E. Elliott-Smith, J.B. Fontaine, D.C. Kesler, B.J. Knaus, I.E. Lopes, P. Loschl, T.D. Mullins, and L.M. Sheffield. 2006. Taxonomic considerations in listing subspecies under the U.S. Endangered Species Act. Conservation Biology 20: 1584-1594.

Hayes, M.P. and M.M. Miyamoto. 1984. Biochemical, behavioral, and body size differences between *Rana aurora aurora* and *Rana aurora draytonii*. Copeia 1884: 1018-1022. Holland, D.C. 1994. The western pond turtle: habitat and history. Final Report, U.S. Department of Energy, Project 92-068, 303 pages.

Heyer, W.R., M.A. Donnelly, R.W. McDiarmid, L.C. Hayek, and M.S. Foster. 1994. Measuring and monitoring biological diversity. Standard methods for amphibians. Smithsonian Institution, Washington, D.C., 364 pages.

- Holland, D.C., M.P. Hayes, and E. McMillan. 1990. Late summer movement and mass mortality in the California tiger salamander (*Ambystoma californiense*). Southwestern Naturalist 35:217–220.
- H.T. Harvey and Associates. 2001. *Phillips Brooks School Biological Assessement for the California red-legged frog and the San Francisco garter snake*. Unpublished report prepared for Phillips Brooks School, 9 October 2001.
- Jansen, F.J., J.G. Krenz, T.S. Haselkorn, E.D. Brodie, Jr., and E.D. Brodie. 2002. Molecular phylogeny of common garter snakes (*Thamnophis sirtalis*) in western North America: implications for regional historical forces. Molecular Ecology 11: 1739-1751.
- Jennings, M.R. and Hayes, M.P. 1985. Pre-1900 overharvest of California red-legged frogs *Rana aurora draytonii*: the inducement for bullfrog introduction. Herpetologica 41:1 94-103.
- Johnson, D.H., B.M Shrier, J.S. O'Neal, J.A. Knutzen, X. Augerot, T.A. O'Neil, and T.N. Pearsons. 2007. Salmonid field protocols handbook: techniques for assessing status and trends in salmon and trout populations. American Fisheries Society, Bethesda, Maryland, 478 pages.
- Kiesecker, J.M. and A.R. Blaustein. 1997. Population differences in responses of red-legged frogs (*Rana aurora*) to bullfrogs. Ecology 78: 1752-1760.
- Kiesecker, J.M. and A.R. Blaustein. 1998. Effects of introduced bullfrogs and smallmouth bass on microhabitat use, growth, and survival of native red-legged frogs (*Rana aurora*). Conservation Biology 12: 776-787.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001a. Potential mechanisms underlying the displacement of native red-legged frogs by introduced bullfrogs. Ecology 82: 1964-1970.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001b. Transfer of a pathogens from fish to amphibians. Conservation Biology 15: 1064-1070.
- Launer, A. 2006. Biotic evaluation of IR-6 at Stanford, with special reference to California redlegged frogs. Unpublished report submitted to SLAC dated 11 May 2006. Four pages.
- Launer, A. 2011. Ponds constructed in the Stanford foothills in 2003: summary of conservation activities and annual monitoring 2003-2011.
- Leidy, R.A., G. Becker, and B.N. Harvey. 2005. Historical status of coho salmon in streams of the urbanized San Francisco estuary, California. California Fish and Game Bulletin 91: 219-254.
- Loredo, I., and D. Van Vuren. 1996. Reproductive ecology of a population of the California tiger salamander. Copeia 1996: 895-901.
- Loredo, I., D. Van Vuren, and M. L. Morrison. 1996. Habitat use and migration behavior of the California tiger salamander. Journal of Herpetology 30:282–285.

Lovett, S. and P. Price (editors). 2007. Principles of riparian land management. Land and Water Australia, Canberra, 200 pages.

Mallet, J. 2001. Subspecies, semispecies, superspecies. In Levin *et al.* Encyclopedia of biodiversity 5: 523-526.

Mayr, E. 1942. Systematics and the origin of species. Columbia University Press. 334 pages.

Mayr, E. 1982. Of what use are subspecies. Auk 99: 593-595.

McGinnis, S. M. 1984. Freshwater fishes of California. University of California Press, Berkeley and Los Angeles, California.

Morgan, J. A., V.T. Vredenburg, L.J. Rachowicz, R.A. Knapp, M.J. Stice, T. Tunstall, R.E. Bighan, J.M. Parker, J.E. Longcore, C. Moritz, C.J. Briggs, and J.W. Taylor. 2007. Population genetics of the frog-killing fungus *Batrachochytrium dendrobatidis*. PNAS 104: 13845-13850.

Moyle, P. B. 1976. <u>Inland Fishes of California</u>. University of California Press, Berkeley and Los Angeles, California.

Moyle, P.B. 1994. The decline of anadromous fishes in California. Conservation Biology 8: 869-870.

Moyle, P.B. and J.A. Israel. 2005. Untested assumptions: effectiveness of screening diversions for conservation of fish populations. Fisheries 30: 20-28.

National Water Information System. *USGS 11164500 SAN FRANCISQUITO C A STANFORD UNIVERSITY CA*. United States Geologic Survey: http://waterdata.usgs.gov/ca/nwis/uv?11164500.

National Water Information System. *USGS 11166000 MATADERO C A PALO ALTO CA*. United States Geologic Sruvey: http://waterdata.usgs.gov/ca/nwis/uv?11166000.

Nielsen, J.L. 1998. Electrofishing California's endangered fish populations. Fisheries 12: 6-12.

Nielsen, J.L., S.A. Pavey, T. Wiacek, and I. Williams. 2005. Genetics of Central Valley *O. mykiss* populations: drainage and watershed scale analyses. San Francisco Estuary and Watershed Science 3: article 3. 31 pages.

Northwest Hydraulic Consultants. 2002. Searsville Lake sediment impact study. Unpublished report submitted to Stanford University. 186 pages.

O'Brien, S.J, and E. Mayr. 1991. Bureaucratic mischief: recognizing endangered species and subspecies. Science 251: 1187-1188.

- Olson, D.H., W.P. Leonard, and R.B. Bury (editors). 1997. Sampling amphibians in lentic habitats: Methods and approaches for the Pacific Northwest (Northwest Fauna Number 4). Society for Northwestern Vertebrate Biology, Olympia, Washington. 134 pages.
- Opperman, J.J. 2005. Large woody debris and land management in California's hardwood-dominated watershed. Environmental Management 35: 266-277.
- Owens, J., C. White, B. Mallory, and B. Hecht. 2003. Water quality and stream flow monitoring of San Francisquito and Los Trancos creeks at Piers Lane, Water Year 2002, long-term monitoring and assessment program, San Mateo and Santa Clara counties, California. Balance Hydrologic report submitted to Stanford. 57 pages.
- Owens, J., C. White, B. Mallory, B. Hecht, and B. Hastings. 2004. Water quality and stream flow monitoring of San Francisquito and Los Trancos creeks at Piers Lane, Water Year 2003, long-term monitoring and assessment program, San Mateo and Santa Clara counties, California. Balance Hydrologic report submitted to Stanford. 87 pages.
- Owens, J., C. White, B. Mallory, B. Hecht, and J. Gartner. 2005. Water quality and stream flow monitoring of San Francisquito and Los Trancos creeks at Piers Lane, and Bear Creek at Sand Hill Road, Water Year 2004, long-term monitoring and assessment program, San Mateo and Santa Clara counties, California. Balance Hydrologic report submitted to Stanford. 112 pages.
- Owens, J., C. White, J. Gartner, and B. Hecht. 2006. Water quality and stream flow monitoring of San Francisquito and Los Trancos creeks at Piers Lane, and Bear Creek at Sand Hill Road, Water Year 2005, long-term monitoring and assessment program, San Mateo and Santa Clara counties, California. Balance Hydrologic report submitted to Stanford. 118 pages.
- Owens, J., C. White, J. Gartner, Z. Rubin and B. Hecht. 2007. Water quality and stream flow monitoring of San Francisquito and Los Trancos creeks at Piers Lane, and Bear Creek at Sand Hill Road, Water Year 2006, long-term monitoring and assessment program, San Mateo and Santa Clara counties, California. Balance Hydrologic report submitted to Stanford. 119 pages.

Pacific Watershed Associates (PWA). 1994. <u>Handbook for forest and ranch roads</u>. Mendocino County Resource Conservation District. 198 pages.

Phillimore, A.B. and I.P.F. Owens. 2006. Are subspecies useful in evolutionary and conservation biology? Proceedings of the Royal Society 273: 1049-1056.

Pollard, W.R., G.F. Hartman, C. Groot, and P. Edgell. 1997. Field identification of coastal juvenile salmonids. Harbour Publishing. 32 pages.

Pritchard. P. 1979. Encyclopedia of turtles. TFH Press, Neptune City, New Jersey.

Rand, A.L. 1948. Probability of subspecific indentification of single specimens. The Auk 65: 416-432.

Rathbun, G.B. and J. Schneider. 2001. Translocation of California red-legged frogs (*Rana aurora draytonii*). Wildlife Society Bulletin 29: 1300-13003.

Rathbun, G.B., N.J. Scott, Jr., T.G. Murphey. 2002. Terrestrial habitat use by Pacific pond turtles in a Mediterranean climate. Southwest Naturalist 47: 225-235.

Rathbun, G.B., N. Siepel, and D. Holland. 1992. Nesting behavior and movements of western pond turtles *Clemmys marmorata*. Southwestern Naturalist 37: 319-324.

Reese, D.A. 1996. Comparative demography and habitat use of western pond turtles in northern California: the effects of damming and related alterations. Unpublished Ph.D. thesis, UC Berkeley.

Reese, D.A. and H.H. Welsh, Jr. 1997. Use of terrestrial habitat by western pond turtles, Clemmys marmorata,: implications for management. Proceeding: Conservation, restoration, and management of tortoises and turtles. An International Conference. New York Turtle and Tortoise Society, pages 352-357.

Reese, D.A. and H.H. Welsh, Jr. 1998. Comparative demography of *Clemmys marmorata* populations in the Trinity River California in the context of dam-induced alterations. Journal of Herpetogy 32: 505-515.

Rigney, M., M. Westphal, and R. Seymour. Coyote Creek Riparian Station. 1993. Use of migrational data to assess habitat for California tiger salamanders at Stanford, California. Unpublished technical report to Stanford University.

Riley, S.P.D., H.B. Shaffer, S.R. Voss, and B.M. Fitzpatrick. 2003. Hybridization between a rare, native salamander (*Ambystoma californiense*) and its introduced congener. Ecological Applications 13: 1263-1275.

Rossman, D.A., N.B. Ford, and R.A. Seigel. 1996. <u>The garter snakes: evolution and ecology</u>. University of Oklahoma Press, Norman, Oklahoma. 332 pages.

Ryan, T.J., T. Philippi, Y.A. Leiden, M.E. Dorcas, T.B. Wigley, and J.W. Gibbons. 2002. Monitoring herpetofauna in a managed forest landscape: effects of habitat types and census techniques. Forest Ecology and Management 175: 83-90.

Saint John, A. 2002. Reptiles of the northwest. <u>California to Alaska, Rockies to the coast</u>. Lone Pine Publishing, Renton, Washington. 272 pages.

Seeliger, L.M. 1945. Variation in the Pacific mud turtle. Copeia 1945:150-159.

Seib, R.L. and T.J. Papenfuss. 1981. Survey of SLAC lands for San Francisco gartersnakes. Stanford Linear Accelerator publiblication SLAC-TN-81-8. 9 pages.

Shaffer, H.B. G.M. Fellers, S.R. Voss, J.C. Oliver, and G.B. Pauly. 2004a. Species boundaries, phylogeography and conservation genetic of the red-legged frog (*Rana aurora/draytonii*) complex. Molecular Ecology 13: 2667-2677.

Shaffer, H.B., G.P. Pauly, J.C. Oliver, and P.C. Trenham. 2004b. The molecular phylogenetics of endangerment: cryptic variation and historical phylogeography of the California tiger salamander (*Ambystoma californiese*). Molecular Ecology 13: 3033-3049.

Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Onchorhynchus kisutch*) with special reference to Waddell Creek California, and recommendations regarding their management. California Department of Fish and Game, Fish Bulletin 98. 342 pages.

Sokol, D. 1963 The hydrology of the San Francisquito Creek Basin, San Mateo and Santa Clara Counties, California. Unpublished Doctoral Dissertation, Stanford University.

Sparling, G.W. and G.M. Fellers. 2007. Comparative toxicity of chlorpyrifos, diazinon, malathion, and their oxon derivatives to larval *Rana boylii*. Environmental Pollution 147: 535-539.

Spinks, P.Q., G.B. Pauly, J.J. Crayon, and H.B. Shaffer. 2003. Survival of the western pond turtle (*Emys marmorata*) in an urban California environment. Biological Conservation 113: 257-267.

Spinks, P.Q. and H.B. Shaffer. 2005. Wide-range molecular analysis of western pond turtle (*Emys marmorata*): cryptic variation, isolation by distance, and their conservation implications. Molecular ecology 14: 2047-2064.

Stebbins, R.C. 1985. A field guide to western reptiles and amphibians. Second edition, revised. Houghton Mifflin Company, Boston, MA. 336 pages.

Storer, T.I. 1915. Additional records of tiger salamanders in California. Copeia 1915: 56.

Storer, T.I. 1930. Notes on the range and life-history of the Pacific fresh-water turtle, Clemmys marmorata. University of California Publications in Zoology 32:429-441.

Swaim Biological, Inc. 2007. 3000 Portola Road, Woodside, California. *Thamnphis sirtalis* photos by Swaim Biological, Inc. Unpublished report. 5 pages.

Temple, S.A. 1987. Predation of turtle nests increases near ecological edges. Copeia 1987: 250-252.

Trenham, P.C. 2001. Terrestrial habitat use by adult California tiger salamanders. Journal of Herpetology 35:343-346.

Trenham, P.C, W.D. Koenig, and H.B. Shaffer. 2001. Spatially autocorrelated demography and interpond dispersal in the salamander *Ambystoma californiense*. Ecology 82: 3519-3530.

Trenham, P.C. and H.B. Shaffer. 2005. Amphibian upland habitat use and its consequences for population viability. Ecological Applications 15: 1158-1168.

Trenham, P.C., H.B. Shaffer, W.D. Koenig, and M.R. Stromberg. 2000. Life history and demographic variation in the California tiger salamander (*Ambystoma califoriense*). Copeia 2000: 365-377.

Twitty, V.C. 1941. Data on the life history of *Ambystoma tigrinum californiense* Gray. Copeia 1: 1-4.

U.S. Fish and Wildlife Service (USFWS) and NOAA Fisheries. 1996. Habitat Conservation Planning and Incidental Take Permit Processing Handbook. U.S. Department of the Interior, Washington, D.C.

Van Denburgh, J. 1922. The reptiles of western North America. An account of the species known to inhabit California and Oregon, Washington, Idaho, Utah, Nevada, Arizona, British Columbia, Sonora. Volume II, snakes and turtles. California Academy of Science, San Francisco, 536 pages.

Van Denburgh, J. and J.S. Sleven. 1918. The garter-snakes of western North America. Proceedings of the California Academy of Sciences, fourth series, volume 8: 181-270.

Wagstaff and Associates. 2002. Phillips Brooks School EIR. Unpublished report prepared for the Town of Woodside, 18 March 2002.

Westphal, M., R. Seymour, and A. Launer. 1998. 1998 Surveys for California red-legged frogs at the Stanford Linear Accelerator. Unpublished report submitted to SLAC dated 29 December 1998.

Williams, L.R., M.L. Warren, S.B. Adams, J.L. Arvai, and C.M. Taylor. 2004. Basin visual estimation technique (BVET) and representative reach approached to wadeable stream surveys: methodological limitations and future directions. Fisheries: 12-22.

Wilson, E.O. and W.L. Brown, Jr. 1953. The subspecies concept and its taxonomic application. Systematic Zoology 2: 97-111.

Wu, J., R.M. Adams, and W.G. Boggess. 2000. Cumulative effects and optimal targeting of conservation efforts: steelhead trout habitat enhancement in Oregon. American Journal of Agricultural Economics 82: 400-413.

Zimmerman, C.E. and G.H. Reeves. 2000. Population structure of sympatric anadromous and nonanadromous *Oncorhynchus mykiss*: evidence from spawning surveys and otolith microchemistry. Canadian Journal of Fisheries and Aquatic Science 57: 2152-2162.