

## Fishes of San Francisquito and Matadero watersheds

### Native species

California roach	<i>Lavinia symmetricus</i>	abundant
hitch	<i>Lavinia exilicauda</i>	uncommon, associated with Searsville Reservoir
Sacramento blackfish	<i>Orthodon microlepidontus</i>	uncommon
Sacramento sucker	<i>Catostomus occidentalis</i>	abundant
rainbow trout/steelhead	<i>Oncorhynchus mykiss</i>	abundant
threespine stickleback	<i>Gasterosteus aculeatus</i>	abundant
prickly sculpin	<i>Cottus asper</i>	common in lower reaches
riffle sculpin	<i>Cottus gulosus</i>	scattered in SFC

### Non-native species

goldfish	<i>Carassius auratus</i>	occasional
common carp	<i>Cyprinus carpio</i>	occasional
golden shiner	<i>Notemigonus crysoleucas</i>	one record from 1990s
black bullhead	<i>Ameiurus melas</i>	occasional
yellow bullhead	<i>Ameiurus natalis</i>	occasional
brown bullhead	<i>Ameiurus nebulosus</i>	common
rainwater killifish	<i>Lucania parva</i>	common in downstream reaches
western mosquitofish	<i>Gambusia affinis</i>	common
green sunfish	<i>Lepomis cyanellus</i>	common, many hybrid Lepomis
pumpkinseed	<i>Lepomis gibbosus</i>	present, many hybrid Lepomis
bluegill	<i>Lepomis macrochirus</i>	common, many hybrid Lepomis
redeer sunfish	<i>Lepomis microlophus</i>	common, many hybrid Lepomis
largemouth bass	<i>Micropterus salmoides</i>	common
black crappie	<i>Pomoxis nigromaculatus</i>	uncommon, associated with Searsville Reservoir

### Native species not recorded in watersheds, but found in other South Bay drainages or near where San Francisquito Creek enters

Pacific lamprey	<i>Lampetra tridentata</i>	
Western brook lamprey	<i>Lampetra richardsoni</i>	
river lamprey	<i>Lampetra ayresi</i>	
white sturgeon	<i>Acipenser transmontanus</i>	
green sturgeon	<i>Acipenser medirostris</i>	
hardhead	<i>Mylopharodon conocephalus</i>	
Sacramento squawfish	<i>Ptychocheilus grandis</i>	
speckled dace	<i>Rhinichthys osculus</i>	reported by CDFG from Los Trancos Creek, but never verified
coho salmon	<i>Oncorhynchus kisutch</i>	

chinook salmon	<i>Oncorhynchus tshawytscha</i>	
coastrange sculpin	<i>Cottus aleuticus</i>	
staghorn sculpin	<i>Cottus armatus</i>	
Sacramento perch	<i>Archoplites interruptus</i>	
tule perch	<i>Hysterocarpus traski</i>	

**Non-native species, not recorded form watershed but found in general area**

American shad	<i>Alosa sapidissima</i>	
threadfin shad	<i>Dorosoma petenense</i>	
fathead minnow	<i>Pimephales promelas</i>	
white catfish	<i>Ameiurus catus</i>	
channel catfish	<i>Ictalurus punctatus</i>	
brown trout	<i>Salmo trutta</i>	
inland silverside	<i>Menidia beryllina</i>	
striped bass	<i>Morone saxatilis</i>	
smallmouth bass	<i>Micropterus dolomieu</i>	
white crappie	<i>Pomoxis annularis</i>	

**Amphibians of Stanford and vicinity****Native species**

western toad	<i>Bufo boreas</i>	abundant
Pacific treefrog	<i>Pseudacris regilla</i>	abundant, formerly <i>Hyla regilla</i>
California red-legged frog	<i>Rana aurora draytonii</i>	found in several locations at Stanford
foothill yellow-legged frog	<i>Rana boylei</i>	old reports from area, likely extirpated
California tiger salamander	<i>Ambystoma californiense</i>	fairly common in areas surrounding Lagunita, old records from San Mateo County portions of campus
black salamander	<i>Aneides flavipunctatus</i>	found only at a few locations (along San Francisquito Creek at Jasper Ridge)
arboreal salamander	<i>Aneides lugubris</i>	abundant
California slender salamander	<i>Batrachoseps attenuatus</i>	abundant
ensatina	<i>Ensatina eschscholtzii</i>	occasional in higher elevation areas
rough-skinned newt	<i>Taricha granulosa</i>	common
California newt	<i>Taricha torosa</i>	abundant

**Non-native species**

tiger salamander	<i>Ambystoma tigrinum</i>	various eastern tiger salamander subspecies are occasionally found on campus
bullfrog	<i>Rana catesbeiana</i>	abundant in many locations on campus

**Native species not recently recorded at Stanford, but is present in other parts of the nearby Santa Cruz Mountains**

California giant salamander      *Dicamptodon ensatus*      found with several kilometers of Stanford, and reported directly upstream in San Francisquito system

## Reptiles of Stanford and vicinity

### Native species

western fence lizard	<i>Sceloporus occidentalis</i>	abundant
coast horned lizard	<i>Phrynosoma coronatum (blainvillii)</i>	formerly from chaparral areas of Stanford, likely extirpated
northern alligator lizard	<i>Elgaria coerulea</i>	uncommon in higher elevation areas
southern alligator lizard	<i>Elgaria multicarinata</i>	common
western skink	<i>Eumeces skiltonianus</i>	common
western whiptail	<i>Aspidoscelis (Cnemidophorus) tigrus</i>	formerly from chaparral areas of Stanford, likely extirpated
northern Pacific rattlesnake	<i>Crotalus viridis</i>	common upland parts of Stanford
rubber boa	<i>Charina bottae</i>	few records from Stanford and vicinity
western aquatic gartersnake	<i>Thamnophis atratus</i>	uncommon
western terrestrial gartersnake	<i>Thamnophis elegans</i>	uncommon
red-sided gartersnake	<i>Thamnophis sirtalis</i>	not uncommon in vicinity of Lagunita, considered intergrade between <i>T. s. infernalis</i> and <i>T. s. tetrataenia</i>
common kingsnake	<i>Lampropeltis getula</i>	common
sharptailed snake	<i>Contia tenuis</i>	locally common
ringnecked snake	<i>Diadophis punctatus</i>	locally common
western racer	<i>Coluber constrictor</i>	common
gopher snake	<i>Pituophis catenifer</i>	common
night snake	<i>Hypsiglena torquata</i>	found in several locations at Stanford
chaparral whipsnake	<i>Masticophis lateralis</i>	formerly from chaparral areas of Stanford, possibly extirpated
western pond turtle	<i>Actinemys (Clemmys) marmorata</i>	scattered in San Francisquito watershed

### Non-native species

red-eared slider	<i>Trachemys scripta elegans</i>	occasionally found in area, other subspecies are also likely present
grey-banded kingsnake	<i>Lampropeltis alterna</i>	specimens are found every few years

### Native species not recently recorded at Stanford, but present in other parts of the South Bay

California mountain kingsnake	<i>Lampropeltis zonata</i>	not recorded from Stanford, but found in vicinity
sagebrush lizard	<i>Sceloporus graciosus</i>	not recorded from Stanford, but found in southern part of Santa Cruz Mountains
California legless lizard	<i>Anniella pulchra</i>	not recorded from Stanford
side-blotched lizard	<i>Uta stansburiana</i>	reported from area (Stebbins 1985), but specific records lacking
black-headed snake	<i>Tantilla planiceps</i>	not recorded from Stanford, but found in southern part of Santa Cruz Mountains

## Birds of Stanford and vicinity

acorn woodpecker	<i>Melanerpes formicivorus</i>	1	1 = recent record from Stanford or vicinity				
Allen's hummingbird	<i>Selaphorus sasin</i>	1	2 = historic record from Stanford				
American accotet	<i>Recurvirostra americana</i>	1	3 = occasionally in region, not recorded from Stanford				
American coot	<i>Fulica americana</i>	1					
American crow	<i>Corvus brachyrhynchos</i>	1					
American goldfinch	<i>Carduelis tristis</i>	1					
American kestrel	<i>Falco sparverius</i>	1					
American pipit	<i>Anthus rubescens</i>	1					
American robin	<i>Turdus migratorus</i>	1					
American wigeon	<i>Anas americana</i>	1					
Anna's hummingbird	<i>Calypte anna</i>	1					
ash-throated flycatcher	<i>Myiarchus cinerascens</i>	1					
band-tailed pidgeon	<i>Columba fasciata</i>	1					
barn owl	<i>Tyto alba</i>	1					
barn swallow	<i>Hirundo rustica</i>	1					
belted kingfisher	<i>Ceryle alcyon</i>	1					
Bewick's wren	<i>Thryomanes bewickii</i>	1					
black phoebe	<i>Sayornis nigricans</i>	1					
black-and-white warbler	<i>Mniotilta varia</i>	1					
black-crowned night-heron	<i>Nycticorax nycticorax</i>	1					
black-headed grosbeak	<i>Pheucticus melanocephalus</i>	1					
black-throated gray warbler	<i>Dendroica nigrescens</i>	1					
blue-gray gnatcatcher	<i>Poliophtila caerulea</i>	1					
Brewer's blackbird	<i>Euphagus cyanocephalus</i>	1					
brown creeper	<i>Certhia americana</i>	1					
brown-headed cowbird	<i>Molothrus ater</i>	1					
Bullock's oriole	<i>Icterus bullockii</i>	1					
burrowing owl	<i>Athene cunicularia</i>	1	not recorded as nesting at Stanford since late 1800s/early 1900s				
bushtit	<i>Psaltiriparus minimus</i>	1					
California gull	<i>Larus californicus</i>	1					
California horned lark	<i>Ereophila alpestris actia</i>	1					
California quail	<i>Callipepla californica</i>	1					
California thrasher	<i>Toxostoma redivivum</i>	1					
California towhee	<i>Pipilo crissalis</i>	1					
Canada goose	<i>Branta canadensis</i>	1					
canvasback	<i>Aythya valisineria</i>	1					

Caspian tern	<i>Sterna caspia</i>	1						
Cassin's vireo	<i>Vireo cassinii</i>	1	= solitary vireo					
cedar waxwing	<i>Bombycilla cedorum</i>	1						
chestnut-backed chickadee	<i>Poecile rufescens</i>	1						
cinnamon teal	<i>Anas cyanoptera</i>	1						
cliff swallow	<i>Petrochelidon pyrrhonota</i>	1						
common goldeneye	<i>Bucephala clangula</i>	1						
common merganser	<i>Mergus merganser</i>	1						
common moorhen	<i>Gallinula chloropus</i>	1						
common nighthawk	<i>Chordeiles minor</i>	1						
common poorwill	<i>Phalaenoptilus nuttallii</i>	1						
common raven	<i>Corvus corax</i>	1						
Cooper's hawk	<i>Accipiter cooperi</i>	1						
dark-eyed junco	<i>Junco hyemalis</i>	1						
double-crested cormorant	<i>Phalacrocorax auritus</i>	1						
downey woodpecker	<i>Picoides pubescens</i>	1						
eared grebe	<i>Podiceps nigricollis</i>	1						
European starling	<i>Sturnus vulgaris</i>	1	exotic					
evening grosbeak	<i>Coccothraustes vespertinus</i>	1						
Forster's tern	<i>Sterna forsteri</i>	1						
fox sparrow	<i>Passerella iliaca</i>	1						
gadwall	<i>Anas strepera</i>	1						
golden eagle	<i>Aquila chrysaetos</i>	1						
golden-crowned kinglet	<i>Regulus satrapa</i>	1						
golden-crowned sparrow	<i>Zonotrichia atricapilla</i>	1						
grasshopper sparrow	<i>Ammodramus savannarum</i>	1						
great blue heron	<i>Ardea herodias</i>	1						
great egret	<i>Casmerodius (Ardea) albus</i>	1						
great horned owl	<i>Bubo virginianus</i>	1						
greater scaup	<i>Aythya marila</i>	1						
greater yellowlegs	<i>Tringa melanoleuca</i>	1						
green heron	<i>Butorides virescens</i>	1						
green-winged teal	<i>Anas crecca</i>	1						
hairy woodpecker	<i>Picoides villosus</i>	1						
Harris's sparrow	<i>Zonotrichia querula</i>	1						
hermit thrush	<i>Catharus guttatus</i>	1						
hermit warbler	<i>Dendroica occidentalis</i>	1						
herring gull	<i>Larus argentatus</i>	1						

hooded merganser	<i>Lophodytes cucullatus</i>	1						
hooded oriole	<i>Icterus cucullatus</i>	1						
horned grebe	<i>Podiceps auritus</i>	1						
horned lark	<i>Eremophila alpestris</i>	1						
house finch	<i>Carpodacus mexicanus</i>	1						
house sparrow	<i>Passer domesticus</i>	1	exotic					
house wren	<i>Troglodytes aedon</i>	1						
Hutton's vireo	<i>Vireo huttonii</i>	1						
killdeer	<i>Charadrius vociferus</i>	1						
lark sparrow	<i>Chondestes grammacus</i>	1						
Lawrence's goldfinch	<i>Carduelis lawrencei</i>	1						
Lazuli bunting	<i>Passerina amoena</i>	1						
lesser goldfinch	<i>Carduelis psaltria</i>	1						
Lincoln's sparrow	<i>Melospiza lincolni</i>	1						
loggerhead shrike	<i>Lanius ludovicianus</i>	1						
long-eared owl	<i>Asio otus</i>	1						
MacGillivray's warbler	<i>Oporornis tolmiei</i>	1						
mallard	<i>Anas platyrhynchos</i>	1						
merlin	<i>Falco columbarius</i>	1						
mew gull	<i>Larus canus</i>	1						
mourning dove	<i>Zenaida macroura</i>	1						
Nashville warbler	<i>Vermivora ruficapilla</i>	1						
northern flicker	<i>Colaptes auratus</i>	1						
northern goshawk	<i>Accipiter gentilis</i>	1						
northern harrier	<i>Circus cyaneus</i>	1						
northern mockingbird	<i>Mimus polyglottos</i>	1						
northern pintail	<i>Anas acuta</i>	1						
northern pygmy owl	<i>Glaucidium gnoma</i>	1						
northern rough-winged swallow	<i>Stelgidopteryx serripennis</i>	1						
northern shoveler	<i>Anas clypeata</i>	1						
Nuttall's woodpecker	<i>Picoides nuttallii</i>	1						
oak titmouse	<i>Baeolophus inornatus</i>	1						
olive-sided flycatcher	<i>Contopus cooperi</i>	1						
orange-crowned warbler	<i>Vermivora celata</i>	1						
osprey	<i>Pandion haliaetus</i>	1						
Pacific-slope flycatcher	<i>Empidonax difficilis</i>	1						
peregrine falcon	<i>Falco peregrinus anatum</i>	1						
pie-billed grebe	<i>Podilymbus podiceps</i>	1						

pine siskin	<i>Carduelis pinus</i>	1					
prarie falcon	<i>Falco mexicanus</i>	1					
purple finch	<i>Carpodacus purpureus</i>	1					
pygmy nuthatch	<i>Sitta pygmaea</i>	1					
red-breasted nuthatch	<i>Sitta canadensis</i>	1					
red-breasted sapsucker	<i>Sphyrapicus ruber</i>	1					
redhead	<i>Aythya americana</i>	1					
red-naped sapsucker	<i>Sphyrapicus nuchalis</i>	1					
red-shafted flicker	<i>Geotrygon montana</i>	1					
red-shouldered hawk	<i>Buteo lineatus</i>	1					
red-tailed hawk	<i>Buteo jamaicensis</i>	1					
red-winged blackbird	<i>Agelaius phoeniceus</i>	1					
ring-billed gull	<i>Larus delawarensis</i>	1					
ring-necked duck	<i>Aythya collaris</i>	1					
ring-necked pheasant	<i>Phasianus colchicus</i>	1	exotic				
rock dove	<i>Columba livia</i>	1	exotic	pigeon			
ruby-crowned kinglet	<i>Regulus calendula</i>	1					
rufus hummingbird	<i>Selaphorus rufus</i>	1					
sage sparrow	<i>Amphispiza belli</i>	1					
saltmarsh common yellowthroat	<i>Geothypis trichas sinuosa</i>	1					
savannah sparrow	<i>Passerculus sandwichensis</i>	1					
Say's phoebe	<i>Sayornis saya</i>	1					
sharp-shinned hawk	<i>Accipiter striatus</i>	1					
short-eared owl	<i>Asio flammeus</i>	1					
snowy egret	<i>Egretta thula</i>	1					
song sparrow	<i>Melospiza melodia</i>	1					
spotted sandpiper	<i>Actitis macularia</i>	1					
spotted towhee	<i>Pipilo maculatus</i>	1					
Stellar's jay	<i>Cyanocitta stelleri</i>	1					
summer tanager	<i>Piranga rubra</i>	1					
surf scoter	<i>Melanitta perspicillata</i>	1					
Swainson's thrush	<i>Catharus ustulatus</i>	1					
swamp sparrow	<i>Melospiza georgiana</i>	1					
Townsend's solitaire	<i>Myadestes townsendi</i>	1					
Townsend's warbler	<i>Dendroica townsendi</i>	1					
tree swallow	<i>Tachycineta bicolor</i>	1					
tricolored blackbird	<i>Agelaius tricolor</i>	1	not breeding colonies				
turkey	<i>Meleagris gallopavo</i>	1	exotic				

turkey vulture	<i>Cathartes aura</i>	1						
varied thrush	<i>Ixoreus naevius</i>	1						
Vaux's swift	<i>Chaetura vauxi</i>	1						
violet-green swallow	<i>Tachycineta thalassina</i>	1						
warbling vireo	<i>Vireo gilvus</i>	1						
western bluebird	<i>Sialia mexicana</i>	1						
western kingbird	<i>Tyrannus verticalis</i>	1						
western meadowlark	<i>Sturnella neglecta</i>	1						
western screech owl	<i>Otus kennicottii</i>	1						
western scrub-jay	<i>Aphelocoma californica</i>	1						
western tanager	<i>Piranga ludoviciana</i>	1						
western wood-pewee	<i>Contopus sordidulus</i>	1						
white-breasted nuthatch	<i>Sitta carolinensis</i>	1						
white-crowned sparrow	<i>Zonotrichia leucophrys</i>	1						
white-tailed kite	<i>Elanus caeruleus</i>	1						
white-throated sparrow	<i>Zonotrichia albicollis</i>	1						
white-throated swift	<i>Aeronautes saxatalis</i>	1						
Wilson's warbler	<i>Wilsonia pusilla</i>	1						
winter wren	<i>Troglodytes troglodytes</i>	1						
wood duck	<i>Aix sponsa</i>	1						
wrentit	<i>Chamaea fasciata</i>	1						
yellow warbler	<i>Dendroica petechia</i>	1						
yellow-rumped warbler	<i>Dendroica coronata</i>	1						
California condor	<i>Gymnogyps californianus</i>	2	not recorded at Stanford since early 1970s					
purple martin	<i>Progne subis</i>	2						
roadrunner	<i>Geococcyx californianus</i>	2	not recorded at Stanford since late 1800s/early 1900s					
yellow-billed cuckoo	<i>Coccyzus americanus</i>	2						
bald eagle	<i>Haliaeetus leucocephalus</i>	3						
bank swallow	<i>Riparia riparia</i>	3						
California least tern	<i>Sterna antillarum browni</i>	3						
Swainson's hawk	<i>Buteo swainsoni</i>	3	non-breeding pair observed not too far from Stanford in 1999					
California black rail	<i>Laterallus jamaicensis coturniculus</i>	3						
California clapper rail	<i>Rallus longirostris obsoletus</i>	3						
common loon	<i>Gavia immer</i>	3						
ferruginous hawk	<i>Buteo regalis</i>	3						
western least bittern	<i>Ixobrychus exilis hesperis</i>	3						
willow flycatcher	<i>Empidonax traillii</i>	3						

## Mammals of Stanford and vicinity

### Native species

			notes and museum specimens
ornate shrew	<i>Sorex ornatus</i>	present	CAS
Trowbridge's shrew	<i>Sorex trowbridgii</i>	present	CAS
vagrant shrew	<i>Sorex vagrans</i>	present	MVZ
shrew-mole	<i>Neurotrichus gibbsii</i>	found in vicinity	CAS
broad-footed mole	<i>Scapanus latimanus</i>	present	CAS
California bat	<i>Myotis californicus</i>	present	CAS
western small-footed bat	<i>Myotis ciliolabrus</i>	present	Statewide exc coastal redwoods
Yuma bat	<i>Myotis yumanensis</i>	present	CAS
little brown bat	<i>Myotis lucifugus</i>	present	Statewide exc SW
Long-legged bat	<i>Myotis volans</i>	present	CAS
fringed bat	<i>Myotis thysanodes</i>	present	CAS
long-eared bat	<i>Myotis evotis</i>	present	CAS
silver-haired bat	<i>Lasionycteris noctivagans</i>	present	N 1/2 exc. C. Val.
western pipistrelle	<i>Pipistrellus hesperus</i>	present	S
big brown bat	<i>Eptesicus fuscus</i>	present in area	CAS
desert red bat	<i>Lasiurus blossevilli</i>	present	CAS (often lumped under L. borealis)
hoary bat	<i>Lasiurus cinereus</i>	present	CAS
Townsend's long-eared bat	<i>Corynorhinus (Plecotus) townsendii</i>	present -- no maternal site known on campus	CAS
pallid bat	<i>Antrozous pallidus</i>	historic maternal sites on campus	CAS
guano (Mexican free-tailed) bat	<i>Tadarida brasiliensis</i>	common	CAS
western mastiff bat	<i>Eumops perotis</i>	present	S
big free-tailed bat	<i>Nyctinomops macrotis</i>	present	MVZ
brush rabbit	<i>Sylvilagus bachmani</i>	present	CAS
Audobon's cottontail	<i>Sylvilagus audobonii</i>	scattered in region, likely at Stanford	MVZ
black-tailed jackrabbit	<i>Lepus californicus</i>	common	CAS
Botta's pocket gopher	<i>Thomomys bottae</i>	abundant	CAS
California pocket mouse	<i>Chaetodipus californicus</i>	present	CAS
Western harvest mouse	<i>Reithrodontomys megalotus</i>	present	CAS
parasitic mouse	<i>Peromyscus californicus</i>	abundant	CAS
deer mouse	<i>Peromyscus maniculatus</i>	abundant	CAS
brush mouse	<i>Peromyscus boylii</i>	present in area	CAS -- south of SU
pinyon mouse	<i>Peromyscus truei</i>	abundant	CAS
dusky-footed woodrat	<i>Neotoma fuscipes annectans</i>	common	CAS
California meadow vole	<i>Microtus californicus</i>	abundant	CAS
Merriam's chipmunk	<i>Tamias merriami</i>	common in higher elevation areas	CAS
California ground squirrel	<i>Spermophilus beecheyi</i>	abundant	CAS
western gray squirrel	<i>Sciurus griseus</i>	common	CAS
coyote	<i>Canis latrans</i>	common	CAS
gray fox	<i>Urocyon cinereoargenteus</i>	common in higher elevation areas	CAS
ringtail cat	<i>Bassariscus astutus</i>	uncommon in most of CA, possibly in region (Castle Rock?)	Statewide ex deserts, C. Valley
raccoon	<i>Procyon lotor</i>	abundant	CAS
long-tailed weasel	<i>Mustela frenata</i>	not uncommon in Santa Cruz Mountains (including Jasper Ridge), occasionally in lower	CAS
striped skunk	<i>Mephitis mephitis</i>	common	CAS

spotted skunk	<i>Spilogale putorius</i>	few records in area, doubtful currently at SU	CAS
badger	<i>Taxidea taxus</i>	one record in last decade, 2006 road kill in Colma	CAS
mountain lion	<i>Puma concolor</i>	not uncommon in Santa Cruz Mountains (including Jasper Ridge), occasionally in lower	
bobcat	<i>Lynx rufus</i>	common	CAS
black-tailed deer	<i>Odocoileus hemionus</i>	common	CAS

#### Non-native Species

red fox	<i>Vulpes vulpes</i>	not uncommon at Stanford	CAS
beaver	<i>Castor canadensis</i>	introduced to Santa Cruz Mountains, but not seen at Stanford	CAS
Virginia opossum	<i>Didelphis virginiana</i>	common, arrived in Bay Area ~ 80 years ago	CAS
eastern gray squirrel	<i>Sciurus carolinensis</i>	common	CAS
fox squirrel	<i>Sciurus niger</i>	common	CAS
feral hog	<i>Sus scrofa</i>	found within 3 miles of Stanford	
feral cat	<i>Felis silvestris</i>	common	
domestic dog	<i>Canis familiaris</i>	occasional	
European rabbit	<i>Oryctolagus cuniculus</i>	formerly common at Red Barn	
black rat	<i>Rattus rattus</i>	common	
Norway rat	<i>Rattus norvegicus</i>	scattered across area	CAS
house mouse	<i>Mus musculus</i>	common	CAS
muskrat	<i>Ondatra zibethicus</i>	not common out of Central Valley, native to extreme NE and SE CA	

#### Close or historically at Stanford

narrow-faced kangaroo rat	<i>Dipodomys venustus</i>	historically from area, not recorded in many years	CAS
Heermann's kangaroo rat	<i>Dipodomys heermanni</i>	historically from area, not recorded in many years	CAS from San Jose
desert woodrat	<i>Neotoma lepida</i>	possibly present when more chaparral present at SU	se of San Jose
mink	<i>Mustela vison</i>	one report from area	not likely
elk	<i>Cervus elaphus</i>	extirpated from area	
pronghorn	<i>Antilocapra americana</i>	extirpated from area	
black bear	<i>Ursus americanus</i>	extirpated from area	occasionally reported south of SU
grizzly bear	<i>Ursus arctos</i>	extirpated from area	CAS
river otter	<i>Lontra canadensis</i>	not expected at Stanford, but in Delta	Sierra Nevada, Casc, N Coast Ranges
porcupine	<i>Erethizon dorsatum</i>	not recorded from Stanford	very few records from Santa Cruz Mountains
gray wolf	<i>Canis lupus</i>	Extirpated	